Monoclonal Antibody to Equine IFN-γ

PF647P CONIUGATED

Antibody: MT166

Product code: 3117-72-100T

Size: 100 tests

Immunogen: Recombinant equine IFN-y

Isotype: Mouse IgG2a

Specificity: Native and recombinant IFN-γ from horse.

Contents: Ready-to-use solution of conjugated antibody in sterile filtered (0.2μm) PBS with 0.2%

BSA and 0.09% sodium azide.

Purification: Purified from *in vitro* cultures by protein G affinity chromatography.

Conjugation: The MT166 antibody has been conjugated to PF647P.


Storage: Store product at 4-8°C or frozen at -20°C or below. Avoid repeated freezing/thawing.

Applications: Detection of equine IFN-γ producing cells by flow cytometry. 5 μl is recommended for

staining of 1 million cells in a total volume of 50 μ l.

PF647P is excited by the red laser (633 nm). The excitation max is 654 nm and the

emission max is 672 nm.



Detection of IFN- γ by flow cytometry in viable equine PBMC. Cells were stimulated for 16 hours in the presence of PMA/ionomycin and Brefeldin A. Cells were then fixed and permeabilized using 4% paraformaldehyde and saponin, and subsequently stained with MT166-PF647P (solid line). Matched isotype control antibody (dashed line). The histogram derives from gated events of typical lymphocyte characteristics in forward and side light scatter. Flow cytometry was performed on a BD FACSVerse system.



Note; for research use only. Mabtech shall not be liable for the use or handling of the product or for consequential, special, indirect or incidental damages there from.





Developed and manufactured by MABTECH AB, Sweden, whose quality management system complies with the standards ISO 9001:2015 & ISO 13485:2016.